

**Safety Data Sheet**

according to UK REACH Regulation

**Contopp Compound 10**

Revision date: 08.12.2023

Product code: 30.310.100

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Contopp Compound 10

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Building and construction preparations not covered elsewhere  
The product is intended for professional use.

**1.3. Details of the supplier of the safety data sheet**

Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELBACH	
Post-office box:	1180	
	D-97337 DETTELBACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
E-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Corr. 1; H314  
Eye Dam. 1; H318  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

Potassium Silicate  
sodium aluminate  
propan-2-ol; isopropyl alcohol; isopropanol

**Signal word:** Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P260 Do not breathe dusts or mists.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves and eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Composition/information on ingredients  
Mixture of water-soluble resins, alkalis and fatty acid soaps

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Compound 10

Revision date: 08.12.2023

Product code: 30.310.100

Page 2 of 7

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	GHS Classification	
1312-76-1	Potassium Silicate	1 - < 5 %
	215-199-1 01-2119456888-17	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	
1302-42-7	sodium aluminate	1 - < 5 %
	215-100-1 01-2119516051-57	
	Skin Corr. 1; H314	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %
	200-661-7 603-117-00-0	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
141-43-5	2-aminoethanol; ethanolamine	< 1 %
	205-483-3 603-030-00-8	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1; H332 H312 H302 H314 H317	
61788-46-3	amines, coco alkyl	< 1 %
	262-977-1 612-285-00-4	
	Acute Tox. 4, Skin Corr. 1B, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H335 H373 H304 H400 H410	
68891-38-3	Sodium Laureth Sulfate	< 0.1 %
	500-234-8 01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
50-00-0	formaldehyde ... %	< 0.001 %
	200-001-8 605-001-00-5	
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
141-43-5	205-483-3	2-aminoethanol; ethanolamine	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1515 mg/kg STOT SE 3; H335: >= 5 - 100	
61788-46-3	262-977-1	amines, coco alkyl	< 1 %
		oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	
68891-38-3	500-234-8	Sodium Laureth Sulfate	< 0.1 %
		oral: LD50 = 7400 mg/kg	
50-00-0	200-001-8	formaldehyde ... %	< 0.001 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 Skin Sens. 1; H317: >= 0,2 - 100 STOT SE 3; H335: >= 5 - 100	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Compound 10

Revision date: 08.12.2023

Product code: 30.310.100

Page 3 of 7

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

Information about storage in one common storage facility:

Materials to avoid: Base.

#### Further information on storage conditions

Storage class:

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Eye/face protection

**Safety Data Sheet**

according to UK REACH Regulation

**Contopp Compound 10**

Revision date: 08.12.2023

Product code: 30.310.100

Page 4 of 7

Suitable eye protection:

Tightly sealed safety glasses. EN 166

**Hand protection**

Tested protective gloves are to be worn:

Suitable material:

NBR (Nitrile rubber).

EN ISO 374

Thickness of the glove material &gt;0,4 mm

Breakthrough time: &gt;30 min

**Skin protection**

Only wear fitting, comfortable and clean protective clothing.

**Environmental exposure controls**

Organisational measures to prevent exposure

Observe the expiry date.

Technical measures to prevent exposure

refer to chapter 7. No further action is necessary.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Paste, viscous

Colour: green

Odour: like: Soap.

pH-Value (at 20 °C): 12

**Changes in the physical state**

Melting point/freezing point: 0 °C

Boiling point or initial boiling point and boiling range: 100 °C

Softening point: No data available

Flash point: 140 °C

**Flammability**

Solid: No data available

Lower explosion limits: 1,7 vol. %

Upper explosion limits: 37 vol. %

Auto-ignition temperature: No data available

Density (at 20 °C): 1,0 g/cm<sup>3</sup>Water solubility: completely miscible  
(at 20 °C)

Partition coefficient n-octanol/water: No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when handling and storage.

**10.2. Chemical stability**

No decomposition if stored and handled correctly.

**10.4. Conditions to avoid**

Materials to avoid:

Alkalis (alkalis), concentrated.

**10.6. Hazardous decomposition products**

No known dangerous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Compound 10

Revision date: 08.12.2023

Product code: 30.310.100

Page 5 of 7

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
141-43-5	2-aminoethanol; ethanolamine					
	oral	LD50 mg/kg	1515	Rat		
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID	
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
61788-46-3	amines, coco alkyl					
	oral	ATE	500 mg/kg			
68891-38-3	Sodium Laureth Sulfate					
	oral	LD50 mg/kg	7400	Rat	OECD 401	
50-00-0	formaldehyde ... %					
	oral	ATE	100 mg/kg			
	dermal	ATE	300 mg/kg			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

#### Irritation and corrosivity

mild irritant.

#### Sensitising effects

May cause sensitization by skin contact.

#### STOT-repeated exposure

No information available.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

## SECTION 12: Ecological information

### 12.1. Toxicity

Aquatic toxicity  
EC50: >100 mg/l  
Exposure time: 48 h  
species: Daphnia magna

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
141-43-5	2-aminoethanol; ethanolamine					
	Acute fish toxicity	LC50	150 mg/l	96 h	Oncorhynchus mykiss	IUCLID
	Acute algae toxicity	ErC50	22 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	

### 12.2. Persistence and degradability

Method: OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9  
< 70 %  
Is moderately/partly eliminable from water.

### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol; ethanolamine	-1,91 (25°C)

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Compound 10

Revision date: 08.12.2023

Product code: 30.310.100

Page 6 of 7

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Return IBCs to supplier.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

##### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### List of Wastes Code - contaminated packaging

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

##### Other applicable information

No dangerous good in sense of these transport regulations.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 75

##### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### SECTION 16: Other information

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Compound 10

Revision date: 08.12.2023

Product code: 30.310.100

Page 7 of 7

H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Building and construction preparations not covered elsewhere	IS	19	9b	19	5	4g	32, 39	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*