

according to Regulation (EC) No 1907/2006

# **Prontopp - TMC**

Print date: 19.03.2020 Product code: 01.412.100 Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Prontopp - TMC

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction work.

Building and construction preparations not covered elsewhere.

# 1.3. Details of the supplier of the safety data sheet

Company name: KNOPP GmbH

Street: Adolf - Oesterheld - Straße 1
Place: D-97337 DETTELBACH

Post-office box: 1180

D-97337 DETTELBACH

Telephone: +49(0)932491990 Telefax: +49(0)9324919966

e-mail: info@knopp-chemie.com
Internet: www.knopp-chemie.com

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

# 2.2. Label elements

Signal word: Warning Pictograms: GHS07



### **Hazard statements**

H319 Causes serious eye irritation.

### **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Chemical characterization**

anhydrous calcium sulfate



according to Regulation (EC) No 1907/2006

	Prontopp - TMC	
Print date: 19.03.2020	Product code: 01.412.100	Page 2 of 7

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
215-137-3	calcium hydroxide 100 %	< 3 %
1305-62-0	Xi - Irritant R37-41	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335	
01-2219475151-45		

Full text of R, H and EUH phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious place in recovery position and seek medical advice.

#### After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### After contact with skin

Wash with plenty of water. Change contaminated clothing.

Wash with plenty of water/.?.

Do not wash with: Solvent/Thinner.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

Caution if victim vomits: Risk of aspiration!

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide.

Powder. Water fog.

# Extinguishing media which must not be used for safety reasons

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

The product itself does not burn. Burning produces heavy smoke.

Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and



according to Regulation (EC) No 1907/2006

# **Prontopp - TMC**

Print date: 19.03.2020 Product code: 01.412.100 Page 3 of 7

to cool endangered containers.

Do not allow water used to extinguish fire to enter drains or waterways.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed containers for disposal.

Clean with detergents. Avoid solvent cleaners.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Wear personal protection equipment.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

Do not store together with: Oxidizing agents. Strong acid, strong alkalis

### Further information on storage conditions

storage temperature: +5 - +30 °C

Keep container tightly closed and in a well-ventilated place. Keep container dry.

When using do not smoke.

Access is only to be granted to authorised personal.

Always close containers tightly after the removal of product.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1305-62-0	Calcium hydroxide	-	5		TWA (8 h)	WEL

# 8.2. Exposure controls

### Occupational exposure controls

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

# **Prontopp - TMC**

Print date: 19.03.2020 Product code: 01.412.100 Page 4 of 7

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

# **Respiratory protection**

not applicable

#### Hand protection

Suitable material:

In case of prolonged or frequently repeated skin contact: NBR (Nitrile rubber).

penetration time (maximum wearing period): 0,5 h

See information supplied by the manufacturer.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

#### Eye protection

Wear eye/face protection.

### Skin protection

not applicable

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: light grey
Odour: odourless

Test method

pH-Value (at 20 °C):

Changes in the physical state

Melting point: 1450 °C Flash point: No data available

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not relevant

Lower explosion limits: Upper explosion limits:

Ignition temperature: not applicable

**Auto-ignition temperature** 

Solid: not relevant
Gas: not relevant

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: No data available

Density (at 20 °C): 2,69 g/cm³ EN 1097-7



according to Regulation (EC) No 1907/2006

**Prontopp - TMC** 

Print date: 19.03.2020 Product code: 01.412.100 Page 5 of 7

Bulk density: 800 - 1000 kg/m³ Water solubility: 2 g/L

(at 20 °C)

9.2. Other information

Solid content: 100 %

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reactions when handling and storage.

## 10.2. Chemical stability

No decomposition if stored and handled correctly.

## 10.3. Possibility of hazardous reactions

Exothermic reactions with: Oxidizing agents. Strong acid, strong alkalis

#### 10.4. Conditions to avoid

In case of warming: Thermal decomposition.

## 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide. Nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

CAS No	Chemical name					
	Exposure route	Method	Dose	Species	Source	
1305-62-0	calcium hydroxide 100 %					
	oral	LD50	7340 mg/kg	Rat	OECD 425.	
	dermal	LD50 mg/kg	> 2500	Rabbit	OECD 402	

### **Further information**

There are no data available on the preparation/mixture itself.

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Data apply to technical substance.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	h	Species	Source	
1305-62-0	calcium hydroxide 100 %						
	Acute fish toxicity	LC50	50,6 mg/l	96 h			
	Acute algae toxicity	ErC50	185 mg/l	72 h			
	Acute crustacea toxicity	EC50	49,1 mg/l	48 h			

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.



according to Regulation (EC) No 1907/2006

# **Prontopp - TMC**

Print date: 19.03.2020 Product code: 01.412.100 Page 6 of 7

#### 12.3. Bioaccumulative potential

No information available.

#### **Further information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC). There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

The information about ecology refers to the active component.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Remove according to the regulations.

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled. Completely emptied packages can be recycled.

Remove according to the regulations.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:-14.2. UN proper shipping name:-14.3. Transport hazard class(es):-

14.4. Packing group:

Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

14.1. UN number:-14.2. UN proper shipping name:-14.3. Transport hazard class(es):-

14.4. Packing group:

#### Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

# Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):



according to Regulation (EC) No 1907/2006

# **Prontopp - TMC**

Print date: 19.03.2020 Product code: 01.412.100 Page 7 of 7

#### 14.4. Packing group:

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

#### **SECTION 16: Other information**

#### Relevant R phrases (number and full text)

37 Irritating to respiratory system.41 Risk of serious damage to eyes.

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)